

IMPACT SOCKETS



Pin Hole for
Retaining
Ring & Pin

CHROME MOLYBDENUM	TORQUE	HARDNESS
CrMo	1.5X ANSI 1.3X DIN	 38-55 HRC

New range of impact sockets from GROZ are designed to withstand high levels of torque & impact applications

Chrome Molybdenum Construction
Forged from high quality Chrome Molybdenum Steel, precision machined & heat treated to provide the best combination of hardness, tensile strength & torque

Specially designed chamfered openings make engagement with the impact tools much easier, thereby saving time and effort

Pin hole in the impact sockets facilitates use with impact tools having pin and ring retaining mechanism


Black Oxide Finish
For enhanced corrosion protection and easy identification from regular sockets

Marking & Branding
Branding & size laser etched on each individual socket ensuring quick and convenient identification

11

Impact Sockets Hex

1/2" DRIVE



ORDERING INFORMATION


CAT NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)	BOX QTY.
HEX SOCKETS 					
★ISKT/H/1-2/10	10	38	16.7	25	15
ISKT/H/1-2/11	11	38	18.0	25	15
★ISKT/H/1-2/12	12	38	19.0	25	15
ISKT/H/1-2/13	13	38	20.2	25	15
ISKT/H/1-2/14	14	38	21.5	25	15
ISKT/H/1-2/15	15	38	23.0	25	12
ISKT/H/1-2/16	16	38	24.5	25	12
★ISKT/H/1-2/17	17	38	26.0	25	10
ISKT/H/1-2/18	18	38	27.0	25	10
★ISKT/H/1-2/19	19	38	28.0	25	10
★ISKT/H/1-2/21	21	38	30.0	25	8
ISKT/H/1-2/22	22	38	32.0	30	6
ISKT/H/1-2/24	24	38	34.0	30	6
ISKT/H/1-2/27	27	42	40.0	30	6
HEX SOCKETS - DEEP NEW! 					
◆ISKT/H/1-2/14D	14	78	22	25	15
◆ISKT/H/1-2/17D	17	78	26	30	10
◆ISKT/H/1-2/18D	18	78	27	30	10
◆ISKT/H/1-2/19D	19	78	28	30	10
◆ISKT/H/1-2/20D	20	78	29	30	8
◆ISKT/H/1-2/21D	21	78	30	30	8
◆ISKT/H/1-2/23D	23	78	33.8	30	6
◆ISKT/H/1-2/24D	24	78	33.8	30	6

★ Best Seller ◆ New


ISKT



3/4" DRIVE



1" DRIVE



ORDERING INFORMATION

CAT NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)	BOX QTY.
HEX SOCKETS					
ISKT/H/3-4/17	17	51	30.0	44	10
ISKT/H/3-4/19	19	51	32.5	44	8
ISKT/H/3-4/21	21	51	35.0	44	6
ISKT/H/3-4/22	22	51	36.0	44	6
ISKT/H/3-4/24	24	51	38.5	44	6
ISKT/H/3-4/26	26	53	41.0	44	6
ISKT/H/3-4/27	27	53	42.5	44	6
◆ ISKT/H/3-4/28	28	53	44	44	6
★ ISKT/H/3-4/29	29	53	45.0	44	4
ISKT/H/3-4/30	30	53	46.0	44	4
★ ISKT/H/3-4/32	32	57	48.0	44	4
★ ISKT/H/3-4/33	33	57	50.0	44	4
ISKT/H/3-4/35	35	57	52.0	44	4
ISKT/H/3-4/36	36	57	53.0	44	4
ISKT/H/3-4/38	38	57	56.0	44	4
ISKT/H/3-4/41	41	58	59.0	44	4
ISKT/H/3-4/46	46	62	66.0	44	2

HEX SOCKETS - DEEP

NEW!

◆ ISKT/H/3-4/24D	24	90	38	44	4
◆ ISKT/H/3-4/27D	27	90	41	44	4
◆ ISKT/H/3-4/28D	28	90	44	44	4
◆ ISKT/H/3-4/30D	30	90	46	44	2

★ Best Seller ◆ New

ORDERING INFORMATION

CAT NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)	BOX QTY.
HEX SOCKETS					
ISKT/H/0-1/19	19	58	35.0	54	8
ISKT/H/0-1/22	22	58	39.0	54	6
ISKT/H/0-1/24	24	58	41.5	54	6
ISKT/H/0-1/26	26	60	44.0	54	6
ISKT/H/0-1/27	27	60	45.0	54	6
★ ISKT/H/0-1/29	29	62	45.0	54	4
ISKT/H/0-1/30	30	62	49.0	54	4
★ ISKT/H/0-1/32	32	62	51.5	54	4
★ ISKT/H/0-1/33	33	62	52.5	54	4
ISKT/H/0-1/35	35	66	55.0	54	4
ISKT/H/0-1/36	36	66	56.5	54	4
ISKT/H/0-1/38	38	66	59.0	54	4
ISKT/H/0-1/41	41	68	62.5	54	4
ISKT/H/0-1/46	46	72	69.0	54	4
ISKT/H/0-1/50	50	76	74.0	54	2
ISKT/H/0-1/55	55	84	80.0	54	2
ISKT/H/0-1/60	60	88	86.5	54	1
ISKT/H/0-1/65	65	92	92.5	54	1

HEX SOCKETS - DEEP

NEW!

◆ ISKT/H/0-1/27D	27	90	46	54	4
◆ ISKT/H/0-1/30D	30	90	49	54	2
◆ ISKT/H/0-1/32D	32	90	52	54	2
◆ ISKT/H/0-1/33D	33	90	54	54	2

★ Best Seller ◆ New

12

Impact Socket Sets Hex

1/2" DRIVE
KIT/ISKT/H/1-2/10
10
PIECE


10 PC HEX SOCKETS	BOX QTY.
10, 11, 12, 13, 14, 17, 19, 21, 22 & 24 mm	5

KIT/ISKT/H/1-2/12
12
PIECE


12 PC HEX SOCKETS	BOX QTY.
10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24 mm	5

KIT/ISKT/H/1-2/14
14
PIECE


14 PC HEX SOCKETS	BOX QTY.
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 & 27 mm	5

3/4" DRIVE
KIT/ISKT/H/3-4/8
8
PIECE


8 PC HEX SOCKETS	BOX QTY.
26, 27, 29, 30, 32, 35, 36 & 38 mm	2

1" DRIVE
KIT/ISKT/H/O-1/9
9
PIECE


9 PC HEX SOCKETS	BOX QTY.
26, 27, 30, 32, 35, 36, 38, 41 & 46 mm	2